

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S143	1	"6154738".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:37
L2	1	1 and (secur\$6 authentic\$6 login password\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:37
L1	1	"6041308".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:37
S148	93	S147 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 16:13
S137	51	S136 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 16:13
S147	333	(convert\$4 reformat\$4 format\$4) near5 request\$2 near5 (url\$2 (internet near3 address\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 16:12
S146	3845	(convert\$4 reformat\$4 format\$4) same request\$2 same (url\$2 (internet near3 address\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 16:12
		(convert\$4 reformat\$4 format\$4) near5 request\$2 near5url\$2 (internet near3 address\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 16:12
S145	1	"6542912".pn. and request\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 16:11
S144	1	S141 and (trasmitt\$6 reformat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:31
S142	1	S141 and (url\$2 address\$2 internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:27
S141	1	"20020120685"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:11

S140	1	S139 and compar\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:11
S139	1	"20010021938"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:09
S138	1	"6094686".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:09
S21	3675	service near3 description	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 08:53
S136	404	(service\$2 definition\$2 description\$2) same ((internet near3 address\$2) url\$2) same (input\$2 and output\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:52
S134	2979	S133 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:52
S135	1610	S134 and (input\$2 and output\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:51
S133	17789	(service\$2 definition\$2 description\$2) same ((internet near3 address\$2) url\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:51
S131	1	S130 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:51
S132	14778	(service\$2 definition\$2) same ((internet near3 address\$2) url\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:50
S130	78	(service\$2 near3 definition\$2) same ((internet near3 address\$2) url\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:50
S117	10	S116 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:49

S12 9	2880	(service\$2 near3 definition\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:48
S12 8	1	S123 and (reformat\$4 transmit\$4 transform\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:48
S12 7	1	S123 and reformat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:47
S12 4	1	S123 and reformat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:43
S12 6	1	S123 and (address\$2 url\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:42
S12 5	1	S123 and internet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:41
S12 3	1	"20020120685"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:39
S12 2	1	S120 and (location\$2 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:38
S12 1	1	S120 and (url\$2 internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:33
S12 0	1	"6542912".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:29
S11 9	2	("6213518" "6616189").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 14:29
S11 8	10	S117 not S115	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 13:00

S11 6	87	request\$2 same input\$2 same output\$2 same (internet near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:15
S11 5	5	S114 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:15
S11 4	37	(service near3 description) same (internet near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:06
S11 0	4	S109 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:06
S11 3	17	S112 and (input and output)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:34
S11 2	21	S111 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:33
S11 1	238	((service near3 description\$2) same resource\$2) and (url\$2 (internet adj address\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:32
S10 9	103	(service near3 description\$2) same resource\$2 same url\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:32
S10 8	3	S107 and @ad<="19990611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:27
S10 7	72	(service near3 description\$2) same resource\$2 same internet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:27
S10 6	442	(service near3 description\$2) same resource\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:20
S10 5	5721	service near3 description\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:19

S10 4	1	S103 and internet\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:19
S10 3	1	"6542912".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:14
S10 2	1	S100 and internet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 17:13
S10 1	30	S92 and internet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 16:42
S10 0	1	"20020120685"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 16:42
S99	15713	707/1,3,46,100,102,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 16:42
S29	10082	707/1,3,46,100,102,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:52
S98	191	((database\$2 same test\$4 same (fixed value\$2) same automatic\$5)) and (registration register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:14
S97	207	((xml (extensible near4 language\$2)) and test\$4) and (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:13
S91	146	((database\$2 same test\$4 same (fixed value\$2) same automatic\$5)) and (registration register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:13
S58	99	((xml (extensible near4 language\$2)) and test\$4) and (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:13
S96	21	S95 and ((test\$4 near5 (data information)) same (value\$2 input\$4 output\$4 fixed) same automatic\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:10

S95	2636	((service near3 description) and (input and output)) and address\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:10
S7	15	S6 and ((test\$4 near5 (data information)) same (value\$2 input\$4 output\$4 fixed) same automatic\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:10
S6	1681	((service near3 description) and (input and output)) and address\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:10
S94	191	( (database\$2 same test\$4 same (fixed value\$2) same automatic\$5)) and (registration register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:09
S93	2877	715/501,513,511,516,522,523. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:09
S92	39	715/501, "513,511,516522,523". ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:09
S30	10	715/501, "513,511,516522,523". ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:08
S20	1	S19 and (security authoriz\$6 authenticat\$4 password\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 16:31
S19	1	"6041308".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 16:31
S18	215	S17 and (test\$4 same compar\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 16:31
S11	1819	S10 and (security authoriz\$6 authenticat\$4 password\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 16:31
S17	957	(buyer\$2 customer\$2) and (seller\$2) and (registration register\$4) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 16:12

S16	547	S13 not S14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 16:12
S15	2906	((test\$4 near5 (data information)) same (value\$2 input\$4 output\$4 fixed) same automatic\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:47
S14	224	S13 and (html xml xsl)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:46
S13	771	S12 and (input\$4 and output\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:16
S12	1001	S11 and (register\$4 registration\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:16
S10	5582	S9 and (database\$2 repositor\$4 (data adj base\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:15
S9	28740	S8 not S5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:15
S4	374	S3 and (security authoriz\$6 authentikat\$4 password\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:15
S8	28943	((test\$4 same (value\$2 input\$4 output\$4 fixed data information) same automatic\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:14
S3	2906	((test\$4 near5 (data information)) same (value\$2 input\$4 output\$4 fixed) same automatic\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 15:14
S23	1678	((service near3 description) and (input and output)) and address\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 14:29
S5	203	S4 and (database\$2 repositor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 13:43



S2	1	S1 and (secur\$4 authentca\$4 password\$2 authoriz\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 13:37
S1	1	"6542912".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/17 13:34
S90	295	(database\$2 same test\$4 same (fixed value\$2) same automatic\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:50
S89	2801	(database\$2 same test\$4 same (fixed value\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:49
S86	1088	( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (fixed value\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:48
S88	115	(( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (fixed value\$2))) and database\$2) and (auto\$5 near5 test\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:43
S87	910	(( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (fixed value\$2))) and database\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:43
S85	46	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2))) and (contact near4 (data information)) ) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:27
S84	67	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2))) and (contact near4 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:27
S83	1	"6226675".pn. and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:27



S82	1	"6226675".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:27
S28	67	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:27
S81	0	"6542912".pn. and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:26
S80	1	"6542912".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:26
S79	113	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) not ((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration )) and (test\$4 same (input\$4 output\$4 value\$2 fixed))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:26
S78	299	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) not ((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration )) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:05
S77	642	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) not ((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:05
S76	1103	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:05

S26	1103	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 15:05
S75	140	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and test\$4) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (variable\$2 value\$2 fixed))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:52
S74	279	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:51
S44	461	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:51
S73	216	( (xml (extensible near4 language\$2)) and test\$4) and (fixed near4 (input\$4 output\$4 value\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:39
S69	863	((((( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)) and (input\$4 and output\$4)) and (interface\$2)) and (test\$4 same (input\$4 and output\$4))) and (fixed near4 (input\$4 output\$4 value\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:39
S72	3917	(xml (extensible near4 language\$2)) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:38
S71	92	(xml (extensible near4 language\$2)) and (service\$2 near5 descriptor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:38

S55	42	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) and regist\$7) not (((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration )) and test\$4) and (xml (extensible near4 language\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:19
S70	336	((((( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)) and (input\$4 and output\$4)) and (interface\$2)) and (test\$4 same (input\$4 and output\$4)) and (fixed near4 (input\$4 output\$4 value\$2))) and (test\$4 same (fixed near4 (input\$4 output\$4 value\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:12
S68	2831	((((( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)) and (input\$4 and output\$4)) and (interface\$2)) and (test\$4 same (input\$4 and output\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:09
S66	3467	(( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)) and (input\$4 and output\$4)) and (interface\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:08
S67	29	((((( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)) and (input\$4 and output\$4)) and (interface\$2)) and (service\$2 near5 description\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:04
S65	6880	(( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)) and (input\$4 and output\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:02
S64	7199	(( (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))) and (register\$4 registration\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:02
S63	19566	(test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 14:01

S62	526	(((( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (input\$4 output\$4 variable\$2 fixed value\$2))) not ((xml (extensible near4 language\$2)) and test\$4) and (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))))) and (register\$4 registration\$2)) and (input\$4 and output\$4)) and (security authenticat\$4 authoriz\$4 password\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:30
S61	676	((( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (input\$4 output\$4 variable\$2 fixed value\$2))) not ((xml (extensible near4 language\$2)) and test\$4) and (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))))) and (register\$4 registration\$2)) and (input\$4 and output\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:28
S60	833	((( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (input\$4 output\$4 variable\$2 fixed value\$2))) not ((xml (extensible near4 language\$2)) and test\$4) and (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4)))))) and (register\$4 registration\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:28
S59	1609	(( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (input\$4 output\$4 variable\$2 fixed value\$2))) not ((xml (extensible near4 language\$2)) and test\$4) and (test\$4 same ((fixed value\$2) near5 (input\$4 output\$4))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:27
S57	1708	( (xml (extensible near4 language\$2)) and test\$4) and (test\$4 same (input\$4 output\$4 variable\$2 fixed value\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:27
S56	3917	(xml (extensible near4 language\$2)) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:07

S54	159	(((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) and regist\$7) not ((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration )) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 13:05
S53	301	(((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) and regist\$7) not ((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:59
S52	762	(((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2 ) and regist\$7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:59
S51	1103	(((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:59
S50	103	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and test\$4) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (variable\$2 value\$2 fixed)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (input\$4 output\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:42
S49	140	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and test\$4) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (variable\$2 value\$2 fixed))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:42

S48	279	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:42
S47	37	((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (input\$4 output\$4))) not ((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (variable\$2 value\$2 fixed)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:39
S46	144	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (input\$4 output\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:38
S45	139	((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration ) and (test\$4 same (variable\$2 value\$2 fixed)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:38
S27	461	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:24

S43	13	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information)) )) and test\$4) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information)) )) and test\$4) and (fixed))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:22
S42	54	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information)) )) and test\$4) and (fixed))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:22



S41	67	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information)) ) ) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:17
S40	1116793	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information)) ) ) and test\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:17
S39	99	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) not (((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information)) ) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:16
S38	67	((((((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))) and (contact near4 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:16

S37	166	(((((service near3 description) and (input and output)) and address\$2) and database\$2) and request\$2) and registration) and ((format\$4 reformat\$4) and (xml (extensible near4 language\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/16 12:14
S36	1	"6542912".pn. and (address\$2 identifier\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/13 10:58
S35	1	"6542912".pn. and (database repository (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/13 10:58
S34	1	"6542912".pn. and (database repository (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/13 10:02
S33	8113	707/1,3,46,100,102,200.ccls. and (database repository (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/13 10:01
S32	1	"6542912".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/13 10:00
S31	255409	715/501, "513", "511", "516", "522", "523".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/13 10:00
S25	1189	((service near3 description) and (input and output)) and address\$2) and database\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/12 10:51
S24	160076	3and database\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/12 10:51
S22	2105	(service near3 description) and (input and output)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/02/12 10:50